



Darda



NASCAR














VICTORY LANE

ITEM NO. 11177

BEFORE YOU BEGIN ...

1. Unpack the parts. Save the packing materials.
2. Match the parts to the drawings below.
3. If you have each part, put a check in the box next to the picture of the part. Look in the carton again and check all of the packing materials to make sure you haven't missed anything.

! WARNING:
CHOKING HAZARD-
 Small Parts. Not for Children
 Under 3 Years


CHECK LIST		
<input type="checkbox"/>		<input type="checkbox"/> SHEET OF STICKERS (1)
<input type="checkbox"/> DARDA CARS (2) 	<input type="checkbox"/> LOOP HALVES (12) 	<input type="checkbox"/> 7" STRAIGHT TRACKS (2) 
<input type="checkbox"/> 14" STRAIGHT TRACKS (6) 	<input type="checkbox"/> CURVED SUPPORT TRACKS (2) 	<input type="checkbox"/> LARGE BASEPLATES (2) 
<input type="checkbox"/> LOOP JOINERS (12) 	<input type="checkbox"/> TRACK JOINERS (14) 	<input type="checkbox"/> STACKING BRIDGES (2) 
<input type="checkbox"/> 7" CURVE TRACKS (4) 	<input type="checkbox"/> FLEXI-CURVES (2) 	<input type="checkbox"/> START/WIN BOX (1) 

IF A PART IS MISSING OR DAMAGED ...

The store where you purchased this item does not have parts. You will get the easiest service from **Darda, A Division of Life-Like Products, LLC**. Tell us the part(s) needed and be sure to include your name and address printed clearly. Mail to **DARDA / 1600 Union Avenue / Baltimore, MD 21211 / ATTN: Dock 2**

Using Track Joiners


Slide the Track Joiner - with the raised edges facing down - half way into the channel on the underside of the track piece. Now slide the adjoining track piece over the open half of the joiner, so that it meets the first piece. Be sure the tracks meet with no gaps.



Making Loops

Put two loop halves together so that the pins at the top of each loop half go into the proper holes, creating a tight fitting seam between the two loop halves.


Holding the loop halves together, slide one loop joiner over one end of the seam and the other loop joiner over the other end of the seam.



***IMPORTANT: Make all 6 Loops in this set before building the track.**

Attaching bridges to large baseplates.


- Attach the **stacking bridge** to the slots on the top of the **large base plate**, by squeezing the bridge together and pushing the tabs into the slots at the top of the base plate. The bridge will snap into a locked position.



Using Built In Track Joiners on Baseplates


Attaching Straight Track

- Attach the **straight track** to the built in track joiners as shown by sliding the ends over half of the built-in track joiners.




Attaching Loops

- Loops attach to the baseplate in the same way. Slide one open end of **the loop** over an open half of the built-in track joiner.




STEP 1

- Attach (1) **stacking bridge** to the **baseplate**.
- Using the **built in track joiner** on the stacking bridge, attach (1) **loop**, facing as shown in Figure 1.
- Add (1) **curved support track** to the other end of the loop using (1) **track joiner**.
- Attach the curved support track to the outer **built-in track joiner** on the baseplate, as shown.




STEP 2

- Attach (1) **loop** to the open end of the stacking bridge.
- Attach the other end of the loop to the **built-in track joiner** directly in front of the stacking bridge. See **FIGURE 2**.



STEP 3

- Add another **loop** to the open end of the built-in track joiner in front of the stacking bridge.
- Attach the other end of the loop to the outer left built-in track joiner, as shown.



STEP 4

- Using the **built-in track joiners** on the baseplate, attach one **14" straight track** to the open loop end and one **14" straight track** to the open curved support track end, as shown in **FIGURE 4**.




FIGURE 4

STEP 5

- Using **track joiners**, attach (1) **7" straight track**, (1) **14" straight track**, (1) **flexi-curve**, (2) **7" Curved Tracks**, and (1) **start/win box** to complete one side of the set.

See **FIGURE 5**.

NOTE: Connect the **start/win box** so that the image in step 6 can be adjoined.




FIGURE 5

STEP 6

- To complete the second half of the set, create a **mirror image** of **FIGURE 5**.





FIGURE 6

STEP 7

FIGURE 7



•Connect 2 halves of the set at the **start-win box** using 2 **track joiners**. See **FIGURE 7**.



STEP 8 - Get set, go!

Press down the red button on the start-win box. A "brake" will emerge narrowing track so cars cannot pass. Spin flag so it faces away from the loops, parallel to track. (White spokes will cross track on both sides when flag is in proper position.)

Wind the cars by pressing down and rolling back and forth until the clicking sound gets louder. Cars cannot be overwound.




Load pre-wound cars into starting gate by backing into position on both tracks. Press green button to start both cars simultaneously. The winning car will spin the checkered flag to its side of track.

The stickers for this set are peel 'n' stick. Do not cover any joints with the stickers. Be sure that the stickers are smooth against the track surface as not to impede the racers.

ALTERNATE TRACK LAYOUTS


Create these exciting track layouts with the pieces in this set.



ALTERNATE #1

• **Stacking Bridges are not used in this alternate.**

ALTERNATE #2



• **The Start/Win Box is not used in this alternate**

TRACK TIPS

- Read all assembly instructions carefully.
- If your car has trouble making it around the track at first try the following:
 1. Be sure that all track seams meet and connections are secure. Track pieces must meet flush against each other where they are connected with track and loop joiners, without gaps or bumps at the joints.
 2. It may be necessary to play with, adjust, or slightly bend loops in track layouts to maximize performance. Remember Darda Track is flexible.
- Darda track layouts can be set up on any flat surface. While it is not ideal, your track can be set up on carpet. We **do** recommend dusting off the track before use so that dust particles from the carpet do not jam the motor in your car. We **do not** recommend running the car itself on carpet.

Double check your assembly instructions, if you still have difficulty we want to help!

Call our toll-free consumer hotline ... **1-800-638-1470** (Mon. - Fri., 9:00 A.M. - 3:30 P.M. (Eastern Standard Time))